

## Example Indicators

<b>Homelessness and Residence</b>	<b>How do you know you have achieved these outcomes? E.g.</b>
<b>Homelessness/ residence (MAP)</b>	<ul style="list-style-type: none"> <li>• How many nights have you spent at the following places in the last month?</li> <li>• Own or rented home</li> <li>• Relatives/Partners'/ Friends/ others' home</li> <li>• Hostel/ temporary accommodation</li> <li>• On the street (homeless)</li> <li>• Prison/ jail/ police station</li> <li>• Hospital or treatment facility</li> <li>• Other _____</li> </ul> <p>How long have you lived at your current address</p>
<b>Stability of living situation (CISS)</b>	<p>Give a score based on the severity of social problems: 0, 1, 2</p> <p>0... e.g., client has a stable place to live and supportive friends or relatives who are drug / alcohol free.</p> <p>1... e.g., client's living situation may not be stable....., or they may associate with drug users / heavy drinkers.....</p> <p>2... e.g., living situation not stable, and they either claim to have no friends or their friends are drug users / heavy drinkers.</p>
<b>High-risk behaviour</b>	<b>How do you know you have achieved these outcomes? E.g.</b>
<b>Decreasing drug-abuse behaviour (MAP)</b>	<ul style="list-style-type: none"> <li>• Days used in past month: Alcohol; Heroin; Problem opioids; Problem benzodiazepines; Cocaine- hydrochloride; Cocaine-crack/base; Amphetamines</li> <li>• Self-reported amount consumed on a typical day in the last month</li> <li>• In the past month have you had a drugs overdose (Y/N) how many times ____</li> <li>• Use of drugs by injection (if yes, on how many days)</li> <li>• Use of needle or syringe which had been used by someone else (if yes, how many times) or use of clean needle/syringe</li> <li>• Unprotected sex (yes/ no/ number of times)</li> </ul> <p>Note: these questions would asked during a verbal survey face-to-face</p>
Etc.	